




































Mar. 2014 Harbor LED Lighting Manufacturer Catalog of Price List (EX-works)
















Harbor Industrial Co., Limited

















S building, Longxing Industrial zone, South Huanguan Rd., Guanlan street, Baoan district, Shenzhen city, Guangdong, China


















Contact: Cristian Tel: 86-755-81479990 Web: www.harborled.com Email: christian@harborled.com Skype: christianwu999 Instagram: harborled KIK: harborled


















Item name	Picture	Led type / Qty	Dimension (mm) without pin	Real Power	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(g)	Life span	Price (<100) USD	Price (>100) USD
DC G4-S24-1.5W		Qili 3014/24pcs	Φ9.5X25mm	1.5W	G4	120lm	DC 12V	0.5	75	2700-6500K	360°	8g	30000Hs	\$1.45	\$1.41
AC/DC G4-S24-1.5W		Qili 3014/24pcs	Φ9.5X25mm	1.5W	G4	120lm	AC/DC 12V	0.5	75	2700-6500K	360°	8g	30000Hs	\$1.95	\$1.89
DC CREE 1.5W		CREE 1.5W/1pcs	Φ10X22mm	1.5W	G4	120lm	DC 12V	0.5	85	2700-6500K	360°	8g	50000Hs	\$2.75	\$2.67
AC/DC Samsung 1.5W		Samsung/4pcs	Φ10X22mm	1.5W	G4	120lm	AC/DC 12V	0.5	85	2700-6500K	360°	8g	50000Hs	\$2.75	\$2.67
G4-6-5730		Samsung 5730/6pcs	Φ12X30mm	1.8W	G4	150lm	DC10-24V	0.5	85	2700-6500K	360°	11g	50000Hs	\$1.95	\$1.89
G4-10-5730		Samsung 5730/10pcs	Φ12X35mm	3W	G4	250lm	DC10-24V	0.5	86	2700-6500K	360°	13g	50000Hs	\$2.75	\$2.67
G4-13-5050SMD		Epistar 5050/13pcs	Φ18X21mm	2.5W	G4	204lm	DC12V	0.6	85	2700-6500K	360°	12g	50000Hs	\$1.99	\$1.93
AC/DC G4-13-5050SMD		Epistar 5050/13pcs	Φ18X21mm	2.5W	G4	204lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	12g	50000Hs	\$2.85	\$2.76
G4-18-5050SMD		Epistar 5050/18pcs	Φ18X30mm	3W	G4	282lm	DC12V	0.6	85	2700-6500K	360°	15g	50000Hs	\$2.59	\$2.51
AC/DC G4-18-5050SMD		Epistar 5050/18pcs	Φ18X30mm	3W	G4	282lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	15g	50000Hs	\$3.25	\$3.15
G4-24-5050SMD		Epistar 5050/24pcs	Φ20X24mm	3.2W	G4	323lm	DC12V	0.6	85	2700-6500K	360°	16g	50000Hs	\$3.25	\$3.15
AC/DC G4-24-5050SMD		Epistar 5050/24pcs	Φ20X24mm	3.2W	G4	323lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	16g	50000Hs	\$4.30	\$4.17
G4-27-5050SMD		Epistar 5050/27pcs	Φ20X24mm	3.8W	G4	365lm	DC12V	0.6	85	2700-6500K	360°	16g	50000Hs	\$3.85	\$3.73
AC/DC G4-27-5050SMD		Epistar 5050/27pcs	Φ20X24mm	3.8W	G4	365lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	16g	50000Hs	\$4.75	\$4.61
G4-30-5050SMD		Epistar 5050/30pcs	Φ20X28mm	4.2W	G4	390lm	DC12V	0.6	85	2700-6500K	360°	17g	50000Hs	\$4.00	\$3.88
AC/DC G4-30-5050SMD		Epistar 5050/30pcs	Φ20X28mm	4.2W	G4	390lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	17g	50000Hs	\$4.95	\$4.80
G4-36-5050SMD		Epistar 5050/36pcs	Φ20X35mm	4.8W	G4	405lm	DC12V	0.6	85	2700-6500K	360°	17g	50000Hs	\$4.95	\$4.80
AC/DC G4-36-5050SMD		Epistar 5050/36pcs	Φ20X35mm	4.8W	G4	405lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	17g	50000Hs	\$5.35	\$5.19
G4-18-5730SMD		Epistar 5630/18pcs	Φ19X29mm	3W	G4	338lm	DC12V	0.6	85	2700-6500K	360°	17g	50000Hs	\$3.85	\$3.73
AC/DC G4-18-5630SMD		Epistar 5630/18pcs	Φ19X29mm	3W	G4	338lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	17g	50000Hs	\$3.85	\$3.73
G4-24-5630SMD		Epistar 5630/24pcs	Φ19X29mm	3.5W	G4	380lm	DC12V	0.6	85	2700-6500K	360°	17g	50000Hs	\$4.59	\$4.45
AC/DC G4-24-5630SMD		Epistar 5630/24pcs	Φ19X29mm	3.5W	G4	380lm	DC10-30V AC8-18V	0.6	85	2700-6500K	360°	17g	50000Hs	\$4.59	\$4.45
G4-9-5630SMD		Epistar 5630/9pcs	Φ26mm	2.3W	G4	210lm	DC12V	0.6	85	2700-6500K	150°	10g	50000Hs	\$1.85	\$1.79
AC/DC G4-9-5630SMD		Epistar 5630/9pcs	Φ26mm	2.3W	G4	210lm	DC10-30V AC8-18V	0.6	85	2700-6500K	150°	10g	50000Hs	\$2.49	\$2.42
G4-12-5630SMD		Epistar 5630/12pcs	Φ30mm	3W	G4	280lm	DC12V	0.6	85	2700-6500K	150°	10g	50000Hs	\$2.42	\$2.35
AC/DC G4-12-5630SMD		Epistar 5630/12pcs	Φ30mm	3W	G4	280lm	DC10-30V AC8-18V	0.6	85	2700-6500K	150°	10g	50000Hs	\$2.79	\$2.71
G4-12-5050SMD		Epistar 5050/12pcs	Φ31mm	2W	G4	220lm	DC12V	0.6	85	2700-6500K	150°	10g	50000Hs	\$1.98	\$1.92
AC/DC G4-12-5050SMD		Epistar 5050/12pcs	Φ31mm	2W	G4	220lm	DC10-30V AC8-18V	0.6	85	2700-6500K	150°	10g	50000Hs	\$2.75	\$2.67
G4-15-5050SMD		Epistar 5050/15pcs	Φ31mm	2.2W	G4	262lm	DC12V	0.6	85	2700-6500K	150°	10g	50000Hs	\$3.08	\$2.99














AC/DC G4-C-1.5W		Qili 3030/1pcs	Φ18X45mm	1.3W	G4	85lm	AC/DC 12V	0.5	75	2700-6500K	360°	16g	30000Hs	\$2.30	\$2.23
AC/DC G4-C-2W		Qili 3030/2pcs	Φ18X45mm	1.8W	G4	120lm	AC/DC 12V	0.5	75	2700-6500K	360°	18g	30000Hs	\$2.60	\$2.52
AC/DC G4-C-3W		Qili 3030/3pcs	Φ18X45mm	2.3W	G4	150lm	AC/DC 12V	0.5	75	2700-6500K	360°	18g	30000Hs	\$3.00	\$2.91
AC/DC G4-C-4W		Qili 3030/4pcs	Φ18X45mm	2.8W	G4	180lm	AC/DC 12V	0.5	75	2700-6500K	360°	18g	30000Hs	\$3.20	\$3.10
DC G4-A-2W		Epileds COB	Φ18X32mm	1.8W	G4	110lm	DC 12V	0.6	75	2700-6500K	120°	16g	30000Hs	\$1.80	\$1.75
DC G4-A-3W		Epileds COB	Φ18X32mm	2.2W	G4	140lm	DC 12V	0.6	75	2700-6500K	120°	16g	30000Hs	\$2.00	\$1.94
G9-A64-3014SMD		Qili 3014/64pcs	Φ16X32mm	3W	G9	240lm	AC96-265V	0.6	75	2700-6500K	360°	13g	30000Hs	\$3.50	\$3.40
G9-C18-5050SMD		Epistar 5050/18pcs	Φ23X50mm	2.5W	G9	200lm	AC96-265V	0.6	75	2700-6500K	360°	30g	30000Hs	\$3.80	\$3.69
G9-C27-5050SMD		Epistar 5050/27pcs	Φ23X50mm	3.5W	G9	300lm	AC96-265V	0.6	75	2700-6500K	360°	30g	30000Hs	\$4.80	\$4.66
G9-C34-5050SMD		Epistar 5050/34pcs	Φ23X65mm	4.5W	G9	350lm	AC96-265V	0.6	75	2700-6500K	360°	30g	30000Hs	\$5.42	\$5.26
G9-D-COB 5W		Qili COB	Φ18.8X36mm	3.2W	G9	280lm	AC96-265V	0.6	75	2700-6500K	360°	21g	30000Hs	\$6.25	\$6.06
G9-F1-1W		Qili HP/1pcs	Φ14X26mm	1W	G9	70lm	AC96-265V	0.6	75	2700-6500K	360°	10g	30000Hs	\$2.95	\$2.86
G9-F1-2W		Qili HP/1pcs	Φ14X32mm	1.8W	G9	115lm	AC96-265V	0.6	75	2700-6500K	360°	12g	30000Hs	\$3.45	\$3.35
G9-F6-2.5W		Qili 2323/6pcs	Φ14X40mm	2.2W	G9	150lm	AC96-265V	0.6	75	2700-6500K	360°	13g	30000Hs	\$3.65	\$3.54
Item name	Picture	Led type / Qty	Dimension (mm) with pin	Real Power	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(g)	Life span	Price	Price Dimmable
G9-21-5050SMD		Epistar 5050/21pcs	Φ31X66mm	2.8W	G9/E27/E14	280lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.25	\$4.20
G9-24-5050SMD		Epistar 5050/24pcs	Φ31X66mm	3W	G9/E27/E14	320lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.45	\$4.40
G9-27-5050SMD		Epistar 5050/27pcs	Φ31X66mm	4W	G9/E27/E14	350lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.75	\$4.70
G9-30-5050SMD		Epistar 5050/30pcs	Φ31X66mm	4W	G9/E27/E14	400lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.95	\$4.90
G9-36-5050SMD		Epistar 5050/36pcs	Φ31X75mm	5W	G9/E27/E14	430lm	AC96-265V	0.8	80	2700-6500K	360°	75g	30000Hs	\$4.15	\$5.10
G9-48-5050SMD		Epistar 5050/48pcs	Φ31X75mm	6W	G9/E27/E14	500lm	AC96-265V	0.8	80	2700-6500K	360°	75g	30000Hs	\$5.18	\$6.13
G9-60-3528SMD		Epistar 3528/60pcs	Φ31X66mm	3W	G9/E27/E14	260lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.05	/
G9-80-3528SMD		Epistar 3528/80pcs	Φ31X66mm	4W	G9/E27/E14	340lm	AC96-265V	0.75	80	2700-6500K	360°	70g	30000Hs	\$3.28	/
G9-48-3014SMD		Epistar 3014/48pcs	Φ31X75mm	3W	G9/E27/E14	240lm	AC96-265V	0.75	75	2700-6500K	360°	70g	30000Hs	\$3.78	\$4.96
G9-78-3014SMD		Epistar 3014/78pcs	Φ31X75mm	3.5W	G9/E27/E14	320lm	AC96-265V	0.75	75	2700-6500K	360°	70g	30000Hs	\$4.18	\$5.35
G9-120-3014SMD		Epistar 3014/128pcs	Φ31X75mm	5.5W	G9/E27/E14	500lm	AC96-265V	0.8	75	2700-6500K	360°	70g	30000Hs	\$5.15	/
T8-A600-9W		Epistar 2835/48pcs	Φ26X600mm	A++	Isolated	950lm	AC85-265V	0.95	85	2700-6500K	120°	0.45kg	5 years	\$12.68	\$12.05
T8-A1200-18W		Epistar 2835/96pcs	Φ26X1200mm	A++	Isolated	1850lm	AC85-265V	0.95	85	2700-6500K	120°	0.75kg	5 years	\$20.45	\$19.43
T8-A1500-24W		Epistar 2835/144pcs	Φ26X1500mm	A++	Isolated	2150lm	AC85-265V	0.95	85	2700-6500K	120°	0.9kg	5 years	\$24.72	\$23.48
T8-A1200-20W		Epistar 2835/120pcs	Φ26X1200mm	A++	Isolated	2100lm	AC85-265V	0.95	85	2700-6500K	120°	0.75kg	5 years	\$21.55	\$20.47
T8-A1200-25W		Epistar 2835/120pcs	Φ26X1200mm	A++	Isolated	2550lm	AC85-265V	0.95	85	2700-6500K	120°	0.75kg	5 years	\$22.68	\$21.55
T8-A1200-30W		Epistar 2835/192pcs	Φ26X1500mm	A++	Isolated	3150lm	AC85-265V	0.95	85	2700-6500K	120°	0.9kg	5 years	\$27.65	\$26.27
T8-B600-9W		Epistar 2835/48pcs	Φ26X600mm	A	Isolated	850lm	AC85-265V	0.92	80	2700-6500K	120°	0.32kg	3 years	\$9.88	\$9.58
T8-B900-14W		Epistar 2835/72pcs	Φ26X900mm	A	Isolated	1150lm	AC85-265V	0.92	80	2700-6500K	120°	0.45kg	3 years	\$10.85	\$10.52
T8-B1200-19W		Epistar 2835/96pcs	Φ26X1200mm	A	Isolated	1650lm	AC85-265V	0.92	80	2700-6500K	120°	0.62kg	3 years	\$12.25	\$11.88
T8-B1500-25W		Epistar 2835/120pcs	Φ26X1500mm	A	Isolated	1950lm	AC85-265V	0.92	80	2700-6500K	120°	0.72kg	3 years	\$14.19	\$13.76
T5-300-4W		Epistar 3014/40pcs	22X32X300mm	A	Isolated	535lm	AC85-265V	0.9	80	2700-6500K	120°	0.16kg	3 years	\$6.35	\$6.03
T5-600-8W		Epistar 3014/80pcs	22X32X600mm	A	Isolated	950lm	AC85-265V	0.9	80	2700-6500K	120°	0.28kg	3 years	\$7.95	\$7.55
T5-900-12W		Epistar 3014/126pcs	22X32X900mm	A	Isolated	1100lm	AC85-265V	0.92	80	2700-6500K	120°	0.45kg	3 years	\$8.95	\$8.50
T5-1200-18W		Epistar 3014/144pcs	22X32X1200mm	A	Isolated	1550lm	AC85-265V	0.92	80	2700-6500K	120°	0.55kg	3 years	\$9.98	\$9.48
HB-2G11P6		Epistar3014/52pcs	227x43x24mm	A	/	550lm	AC90-240V	0.92	80	2700-6500K	120°	0.12kg	3 years	\$14.96	\$14.51
HB-2G11P8		Epistar3014/72pcs	322x43x24mm	A	/	700lm	AC90-240V	0.92	80	2700-6500K	120°	0.16kg	3 years	\$16.88	\$16.37
HB-2G11P12		Epistar3014/110pcs	420x43x24mm	A	/	1100lm	AC90-240V	0.92	80	2700-6500K	120°	0.19kg	3 years	\$19.50	\$18.92
HB-2G11P16		Epistar3014/130pcs	542x43x24mm	A	/	1400lm	AC90-240V	0.92	80	2700-6500K	120°	0.25kg	3 years	\$21.69	\$21.04
HB-2G11-10W		Epistar3014/72pcs	227x43x24mm	A+	Isolated	850lm	AC85-265V	0.92	80	2700-6500K	120°	0.12kg	3 years	\$11.95	\$11.59
HB-2G11-15W		Epistar3014/96pcs	322x43x24mm	A+	Isolated	1350lm	AC85-265V	0.92	80	2700-6500K	120°	0.16kg	3 years	\$13.78	\$13.37
HB-2G11-17W		Epistar3014/120pcs	420x43x24mm	A+	Isolated	1600lm	AC85-265V	0.92	80	2700-6500K	120°	0.19kg	3 years	\$15.80	\$15.33
HB-2G11-20W		Epistar3014/144pcs	542x43x24mm	A+	Isolated	1850lm	AC85-265V	0.92	80	2700-6500K	120°	0.25kg	3 years	\$17.80	\$17.27
LED ring tube 17W		Epistar3014/108pcs	Φ225mm	A+	Isolated	1580lm	AC85-265V	0.92	80	2700-6500K	120°	0.18kg	3 years	\$25.64	\$24.87
LED ring tube 25W		Epistar3014/168pcs	Φ300mm	A+	Isolated	2240lm	AC85-265V	0.92	80	2700-6500K	120°	0.26kg	3 years	\$28.50	\$27.65
Ceiling-1W		Epistar 1W/1pcs	Φ52mm	A	IP44	85lm	AC85-265V	0.65	80	2700-6500K	120°	0.18kg	2 years	\$2.80	\$2.66




















Ceiling-3W		Epistar 1W/3pcs	Φ67mm	A	IP44	215lm	AC85-265V	0.85	80	2700-6500K	120°	0.24kg	2 years	\$3.71	\$3.52
Ceiling-5W		Epistar 1W/5pcs	Φ92mm	A	IP44	365lm	AC85-265V	0.85	80	2700-6500K	120°	0.38kg	2 years	\$4.95	\$4.70
Ceiling-7W		Epistar 1W/7pcs		A	IP44	495lm	AC85-265V	0.85	80	2700-6500K	120°	0.38kg	2 years	\$8.55	\$8.12
Ceiling-9W		Epistar 1W/9pcs	Φ108mm	A	IP44	735lm	AC85-265V	0.85	80	2700-6500K	120°	0.58kg	2 years	\$11.25	\$10.69
Ceiling-12W		Epistar 1W/12pcs	Φ135mm	A	IP44	1050lm	AC85-265V	0.85	80	2700-6500K	120°	0.58kg	2 years	\$14.25	\$13.54
Downlight-A6-3W		Epistar 5730/6pcs	Φ94X45mm	A	/	300lm	AC85-265V	0.93	80	2700-6500K	120°	0.23kg	3 years	\$6.25	\$5.94
Downlight-A10-5W		Epistar 5730/10pcs	Φ120X50mm	A	/	480lm	AC85-265V	0.93	80	2700-6500K	120°	0.36kg	3 years	\$9.38	\$8.91
Downlight-A24-12W		Epistar 5730/24pcs	Φ180X70mm	A	/	1100lm	AC85-265V	0.93	80	2700-6500K	120°	0.99kg	3 years	\$15.62	\$14.84
Downlight-A30-15W		Epistar 5730/30pcs	Φ180X70mm	A	/	1380lm	AC85-265V	0.93	80	2700-6500K	120°	0.99kg	3 years	\$20.83	\$19.79
Downlight-B120-12W		Epistar 3014/120pcs	Φ140X50mm	A	/	1080lm	AC85-265V	0.93	80	2700-6500K	120°	0.55kg	3 years	\$15.60	\$14.82
Downlight-B180-18W		Epistar 3014/180pcs	Φ190X55mm	A	/	1700lm	AC85-265V	0.93	80	2700-6500K	120°	0.97kg	3 years	\$20.83	\$19.79
Downlight-B236-22W		Epistar 3014/236pcs	Φ230X60mm	A	/	2050lm	AC85-265V	0.93	80	2700-6500K	120°	1.35kg	3 years	\$28.90	\$27.46
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price USD	Price USD dimmable
R7S-78-6W		Epistar 3014/48pcs	Φ54X78mm	A+	R7S	510lm	AC85-265V	0.88	82	2700-6500K	200°	0.12kg	3 years	\$7.35	\$7.95
R7S-118-10W		Epistar 3014/96pcs	Φ54X118mm	A+	R7S	850lm	AC85-265V	0.88	82	2700-6500K	200°	0.15kg	3 years	\$10.42	\$12.50
R7S-135-12W		Epistar 3014/120pcs	Φ54X135mm	A+	R7S	1000lm	AC85-265V	0.88	82	2700-6500K	200°	0.18kg	3 years	\$11.87	\$13.96
R7S-144-15W		Epistar 3014/144pcs	Φ54X189mm	A+	R7S	1320lm	AC85-265V	0.88	82	2700-6500K	200°	0.20kg	3 years	\$13.13	\$15.21
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price USD isolated driver	Price USD non-isolated driver
COB-R7S-5W		COB	78mm*51*31mm	A+	R7S	450lm	AC85-265V	0.88	82	2700-6500K	200°	0.12kg	3 years	\$6.30	/
COB-R7S-8W		COB	118mm*51*31mm	A+	R7S	720lm	AC85-265V	0.88	82	2700-6500K	200°	0.15kg	3 years	\$9.65	\$8.96
COB-R7S-10W		COB	135mm*51*31mm	A+	R7S	900lm	AC85-265V	0.88	82	2700-6500K	200°	0.18kg	3 years	\$9.90	\$9.20
COB-R7S-15W		COB	189mm*51*31mm	A+	R7S	1350lm	AC85-265V	0.88	82	2700-6500K	200°	0.20kg	3 years	\$15.38	\$14.75
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Socket	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price (<100) USD	Price (>100) USD
E27-A36-5050SMD 5W		Epistar 5050/36pcs	Φ32X100mm	A	E27/E40	415lm	AC85-265V	0.75	80	2700-6500K	360°	0.055kg	2 years	\$4.98	\$4.73
E27-A44-5050SMD 7W		Epistar 5050/44pcs	Φ35X110mm	A	E27/E40	580lm	AC85-265V	0.75	80	2700-6500K	360°	0.07kg	2 years	\$5.38	\$5.11
E27-A60-5050SMD 10W		Epistar 5050/60pcs	Φ50X120mm	A	E27/E40	720lm	AC85-265V	0.75	80	2700-6500K	360°	0.1kg	2 years	\$6.69	\$6.36
E27-A86-5050SMD 12W		Epistar 5050/86pcs	Φ60X145mm	A	E27/E40	1020lm	AC85-265V	0.75	80	2700-6500K	360°	0.165kg	2 years	\$10.25	\$9.74
E27-A102-5050SMD 15W		Epistar 5050/102pcs	Φ52X150mm	A	E27/E40	1250lm	AC85-265V	0.75	80	2700-6500K	360°	0.205kg	2 years	\$11.78	\$11.19
E27-A132-5050SMD 18W		Epistar 5050/132pcs	Φ65X160mm	A	E27/E40	1550lm	AC85-265V	0.75	80	2700-6500K	360°	0.245kg	2 years	\$14.75	\$14.01
E27-B120-5050SMD 20W		Qili 5050/120pcs	Φ65X215mm	A	E27/E40	1800lm	AC85-265V	0.75	80	2700-6500K	360°	0.15kg	2 years	\$16.95	\$16.10
E27-B336-3014SMD 25W		Qili 3014/336pcs	Φ65X215mm	A	E27/E40	2050lm	AC85-265V	0.75	80	2700-6500K	360°	0.15kg	2 years	\$19.20	\$18.24
E27-B336-2835SMD 25W		Qili 2835/336pcs	Φ65X215mm	A	E27/E40	2250lm	AC85-265V	0.75	80	2700-6500K	360°	0.15kg	2 years	\$21.25	\$20.19
E27-B168-5050SMD 25W		Qili 5050/168pcs	Φ65X215mm	A	E27/E40	2340lm	AC85-265V	0.75	80	2700-6500K	360°	0.15kg	2 years	\$23.98	\$22.78
E27-B168-5630SMD 30W		Qili 5630/168pcs	Φ65X215mm	A	E27/E40	3050lm	AC85-265V	0.75	80	2700-6500K	360°	0.15kg	2 years	\$24.98	\$23.73
E27-B648-3014SMD 30W		Qili 3014/648pcs	Φ65X165mm	A	E27/E40	3080lm	AC85-265V	0.75	80	2700-6500K	360°	0.12kg	2 years	\$26.25	\$24.94
E27-C72-5630SMD 27W		Epistar 5630/81pcs	Φ93X197mm	A+	E40/E39/E27/E26	3100lm	AC100-300V	0.92	85	2700-6500K	360°	0.14kg	3 years	\$28.45	\$27.60
E27-C96-5630SMD 36W		Epistar 5630/108pcs	Φ93X223mm	A+	E40/E39/E27/E26	4000lm	AC100-300V	0.92	85	2700-6500K	360°	0.15kg	3 years	\$33.58	\$32.57
E27-C144-5630SMD 45W		Epistar 5630/135pcs	Φ93X248mm	A+	E40/E39/E27/E26	6000lm	AC100-300V	0.92	85	2700-6500K	360°	0.17kg	3 years	\$37.50	\$36.38
E27-C144-5630SMD 54W		Epistar 5630/162pcs	Φ93X276mm	A+	E40/E39/E27/E27	6000lm	AC100-300V	0.92	85	2700-6500K	360°	0.20kg	4 years	\$41.68	\$40.43
E27-D240-5630SMD 80W		Epistar 5630/240pcs	Φ120X295mm	A+	E40/E39/E27/E26	8000lm	AC100-300V	0.92	85	2700-6500K	360°	0.37kg	3 years	\$189.00	\$183.33
E27-D300-5630SMD 100W		Epistar 5630/300pcs	Φ120X330mm	A+	E40/E39/E27/E26	10000lm	AC100-300V	0.92	85	2700-6500K	360°	0.42kg	3 years	\$209.00	\$202.73
E27-D336-5630SMD 120W		Epistar 5630/336pcs	Φ120X365mm	A+	E40/E39/E27/E26	12000lm	AC100-300V	0.92	85	2700-6500K	360°	0.5kg	3 years	\$215.00	\$208.55
E27-COB-7W		Qili COB	Φ32X121mm	A	E27/E40	780lm	AC85-265V	0.85	80	2700-6500K	360°	0.07kg	2 years	\$6.98	\$6.63
E27-COB-9W		Qili COB	Φ32X121mm	A	E27/E40	960lm	AC85-265V	0.85	80	2700-6500K	360°	0.07kg	2 years	\$8.28	\$7.87
E27-COB-12W		Qili COB	Φ50X120mm	A	E27/E40	1120lm	AC85-265V	0.85	80	2700-6500K	360°	0.1kg	2 years	\$10.45	\$9.93
Bulb-A-3W		Samsung 5730/6pcs	Φ50X90mm	A+	E27/B22	250lm	AC85-265V	0.9	85	2700-6500K	180°	0.095kg	3 years	\$3.92	\$3.72
Bulb-A-5W		Samsung 5730/10pcs	Φ62X109mm	A+	E27/B22	415lm	AC85-265V	0.9	85	2700-6500K	180°	0.135kg	3 years	\$5.95	\$5.65
Bulb-A-7W		Samsung 5730/14pcs	Φ62X129mm	A+	E27/B22	570lm	AC85-265V	0.9	85	2700-6500K	180°	0.145kg	3 years	\$7.55	\$7.17
Bulb-A-9W		Samsung 5730/18pcs	Φ62X139mm	A+	E27/B22	735lm	AC85-265V	0.9	85	2700-6500K	180°	0.205kg	3 years	\$9.68	\$9.20

Bulb-A-12W		Samsung 5730/24pcs	Φ70.9X170mm	A+	E27/B22	960lm	AC85-265V	0.9	85	2700-6500K	180°	0.28kg	3 years	\$11.95	\$11.35
Bulb-A-15W		Samsung 5730/30pcs	Φ95X195mm	A+	E27/B22	1250lm	AC85-265V	0.9	85	2700-6500K	180°	0.338kg	3 years	\$15.98	\$15.18
Bulb-A-20W		Samsung 5730/40pcs	Φ95X230mm	A+	E27/B22	1650lm	AC85-265V	0.9	85	2700-6500K	180°	0.78kg	3 years	\$21.32	\$20.25
Bulb-B-5W		Epistar 5730/28pcs	Φ60X105mm	A+	E27/B22	450lm	AC85-265V	0.9	85	2700-6500K	180°	0.175kg	3 years	\$5.25	\$4.99
Bulb-B-7W		Epistar 5730/36pcs	Φ60X105mm	A+	E27/B22	630lm	AC85-265V	0.9	85	2700-6500K	180°	0.18kg	2 years	\$5.55	\$5.27
Bulb-C-3W		Epistar 3014/26pcs	Φ45.3×84.4mm	A	E27/B22	210lm	AC85-265V	0.5	85	2700-6500K	200°	0.1kg	2 years	\$2.98	\$2.83
Bulb-C-4W		Epistar 3014/31pcs	Φ45.3×84.4mm	A	E27/B22	260lm	AC85-265V	0.5	85	2700-6500K	200°	0.1kg	2 years	\$3.25	\$3.09
Bulb-D-3.2W		Epistar 0.5w3030/5pcs	Φ45.3×81.8mm	A	E14/E27/B22	225lm	AC85-265V	0.5	85	2700-6500K	200°	0.12kg	2 years	\$2.60	\$2.47
Bulb-D-4.3W		Epistar 0.5w3030/7pcs	Φ45.3×81.8mm	A	E14/E27/B22	295lm	AC85-265V	0.5	85	2700-6500K	200°	0.12kg	2 years	\$2.85	\$2.71
Bulb-D-6.7W		Epistar 1w3030/6pcs	Φ60×109mm	A	E14/E27/B22	480lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$3.95	\$3.75
Bulb-D-7.5W		Epistar 1w3030/7pcs	Φ60×109mm	A	E14/E27/B22	560lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$4.15	\$3.94
Bulb-D-8.6W		Epistar 1w3030/8pcs	Φ60×109mm	A	E14/E27/B22	635lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$4.55	\$4.32
Bulb-E-6.7W		Epistar 1w3030/6pcs	Φ60×107mm	A	E14/E27/B22	480lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$3.95	\$3.75
Bulb-E-7.5W		Epistar 1w3030/7pcs	Φ60×107mm	A	E14/E27/B22	560lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$4.15	\$3.94
Bulb-E-8.6W		Epistar 1w3030/8pcs	Φ60×107mm	A	E14/E27/B22	635lm	AC85-265V	0.75	85	2700-6500K	200°	0.13kg	2 years	\$4.55	\$4.32
LED-Filament 3.6W		cob	Φ60×110mm	A	E14/E27/B22	375lm	AC110/220V	0.5	80	2700-6500K	360°	0.08kg	2 years	\$6.88	\$6.67
LED-Filament 6W		cob	Φ60×110mm	A	E14/E27/B22	445lm	AC110/220V	0.5	80	2700-6500K	360°	0.08kg	2 years	\$7.42	\$7.20
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price USD	Price USD dimmable
R39-A-3W		Samsung 5630/6pcs	Φ39×61mm	A	E14/E27/B22	245lm	AC85-265V	0.6	80	2700-6500K	150°	0.15kg	3 years	\$4.27	/
R50-A-4W		Samsung 5630/9pcs	Φ50×92mm	A	E14/E27/B22	325lm	AC85-265V	0.6	80	2700-6500K	150°	0.16kg	3 years	\$5.18	\$6.29
R63-A-7W		Samsung 5630/14pcs	Φ63×108mm	A	E14/E27/B22	538lm	AC85-265V	0.8	80	2700-6500K	150°	0.17kg	3 years	\$7.20	\$9.25
R80-A-10W		Samsung 5630/21pcs	Φ80×120mm	A	E14/E27/B22	729lm	AC85-265V	0.8	80	2700-6500K	150°	0.17kg	3 years	\$8.15	\$10.49
R50-A-4W		Samsung 5630/9pcs	Φ50×86mm	A	E14/E27/B22	325lm	AC85-265V	0.8	80	2700-6500K	150°	0.15kg	3 years	\$4.73	/
R63-A-7W		Samsung 5630/14pcs	Φ63×105mm	A	E14/E27/B22	538lm	AC85-265V	0.8	80	2700-6500K	150°	0.16kg	3 years	\$5.84	/
R80-A-9W		Samsung 5630/18pcs	Φ63×115mm	A	E14/E27/B22	729lm	AC85-265V	0.8	80	2700-6500K	150°	0.17kg	3 years	\$6.75	/
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Available socket	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price	Price dimmable
Spot-M-3.2W		Epistar COB	Φ50X53.2mm	A+	GU5.3	220lm	DC12V	0.75	80	2700-6500K	60°	0.1kg	3 years	\$3.58	/
Spot-G-3.6W		Epistar COB	Φ50X55.7mm	A+	GU10	230lm	AC85-265V	0.75	80	2700-6500K	60°	0.1kg	3 years	\$4.20	\$4.78
Spot-M-5W		Epistar COB	Φ50X53.2mm	A+	GU5.3	315lm	AC85-265V	0.75	80	2700-6500K	60°	0.1kg	3 years	\$3.88	\$4.48
Spot-G-5W		Epistar COB	Φ50X55.7mm	A+	GU10	325lm	AC85-265V	0.75	80	2700-6500K	60°	0.1kg	3 years	\$3.88	\$4.48
Spot-PG-3W		Epistar LED	Φ50X60mm	A+	G10/MR16/E27/B22	230lm	AC85-265V/ DC12V	0.6	80	2700-6500K	60°	0.1kg	3 years	\$2.35	/
Spot-PG-5W		Epistar LED	Φ50X56mm	A+	GU10	357lm	AC85-265V	0.75	80	2700-6500K	60°	0.1kg	3 years	\$4.79	/
Spot-PM-5W		Epistar LED	Φ50X53mm	A+	MR16	380lm	DC12V	0.93	80	2700-6500K	60°	0.1kg	3 years	\$4.79	/















Spot-SMD-5W		Epistar 5050/20pcs	Φ50X54mm	A+	GU10/MR16	270lm	AC85-265V/ DC12V	0.7	80	2700-6500K	60°	0.1kg	3 years	\$2.98	/
Spot-2835SMD-4.2W		Epistar 2835/24pcs	Φ50X45mm	A+	GU10/MR16	360lm	AC85-265V/ DC12V	0.7	81	2700-6500K	60°	0.1kg	3 years	\$3.26	\$3.98
Spot-2835SMD-6.5W		Epistar 2835/36pcs	Φ50X70mm	A+	GU10/MR16	580lm	AC85-265V/ DC12V	0.7	82	2700-6500K	60°	0.1kg	3 years	\$4.98	\$6.28
ceramic spot-4W		Epistar 2835/21pcs	Φ50X59mm	A+	GU10/MR16	320lm	AC85-265V/ DC12V	0.7	82	2700-6500K	60°	0.12kg	3 years	\$3.26	\$3.16
ceramic spot-4.5W		Epistar 2835/24pcs	Φ50X59mm	A+	GU10/MR16	360lm		0.7	82	2700-6500K	60°	0.12kg	3 years	\$3.38	\$3.28
conductive spot-3.5W		Epistar 2835/9pcs	Φ50X62mm	A+	GU10/MR16	340lm		0.7	82	2700-6500K	60°	0.1kg	3 years	\$2.70	\$2.62
conductive spot-4.5W		Epistar 2835/18pcs	Φ50X62mm	A+	GU10/MR16	340lm		0.7	82	2700-6500K	60°	0.1kg	3 years	\$2.70	\$2.62
Spot-3X1W		Epistar 45mil 1W/3pcs	Φ50X66mm	A	GU10/MR16	210lm	AC85-265V	0.7	75	2700-6500K	120°	0.08kg	2 years	\$3.25	\$4.25
Spot-4X1W		Epistar 45mil 1W/4pcs	Φ50X66mm	A	GU10/GU5.3	240lm	AC85-265V	0.7	75	2700-6500K	120°	0.09kg	2 years	\$3.80	\$4.60
Spot-5X1W		Epistar 45mil 1W/5pcs	Φ50X66mm	A	GU10/GU5.3	280lm	AC85-265V	0.7	75	2700-6500K	120°	0.1kg	2 years	\$4.95	\$6.50
Spot-3X2W		Epistar 2W/3pcs	Φ50X66mm	A	GU10/GU5.3	320lm	AC85-265V	0.7	75	2700-6500K	120°	0.08kg	2 years	\$4.60	\$5.90
Spot-COB-H5W		Epistar COB	Φ50X56mm	A	GU10	350lm	AC85-265V	0.7	75	2700-6500K	120°	0.1kg	2 years	\$5.25	\$5.78
Spot-COB-L5W		Epistar COB	Φ50X56mm	A	MR16	350lm	AC85-265V	0.7	75	2700-6500K	120°	0.1kg	2 years	\$4.75	/
Spot-COB-6W		Epistar COB	Φ50X72mm	A	GU10/MR16	385lm	AC85-265V	0.7	75	2700-6500K	120°	0.1kg	2 years	\$5.48	\$6.38
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Available socket	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price (<100) USD	Price (>100) USD
RGB-A-5W		Epileds high power	Φ50X71mm	A	E27	/	AC85-265V	0.7	75	/	120°	0.09kg	2 years	\$9.88	\$9.39
RGB-B-3W		Epileds high power	Φ50X62mm	A	E27/E14/GU10 /GU5.3	/	AC85-265V	0.7	75	/	120°	0.85kg	2 years	\$6.35	\$6.03
RGB-C-5W		Epileds high power	Φ60X120mm	A	GU10/E27	/	AC85-265V	0.7	75	/	120°	0.85kg	2 years	\$8.68	\$8.25
RGB-C-7W		Epileds high power	Φ60X120mm	A	GU10/E27	/	AC85-265V	0.7	75	/	120°	0.85kg	2 years	\$12.35	\$11.73
RGB-C-9W		Epileds high power	Φ60X135mm	A	GU10/E27	/	AC85-265V	0.7	75	/	120°	0.85kg	2 years	\$13.48	\$12.81
GX53-25-3.5W		Epistar 5050/25pcs	Φ75X12.5mm	A	GX53	295lm	AC85-265V	0.7	75	2700-6500K	120°	0.055kg	2 years	\$5.21	\$4.95
GX53-30-6.5W		Epistar 5050/30pcs	Φ75X12.5mm	A	GX53	390lm	AC85-265V	0.7	75	2700-6500K	120°	0.07kg	3 years	\$6.25	\$5.94
GX53-12-6W		Sumsung 5730/12pcs	Φ75X12.5mm	A	GX53	585lm	AC85-265V	0.7	80	2700-6500K	120°	0.125kg	2 years	\$6.25	\$5.94
GX53-10-3.5W		Sumsung 5730/10pcs	Φ75X12.5mm	A	GX53	325	AC85-265V	0.7	80	2700-6500K	120°	0.125kg	2 years	\$3.50	\$3.33
Track light-COB-15W		Epistar COB	Φ80X210mm	A+	/	1600lm	AC85-265V	0.8	80	2700-6500K	120°	1.3kg	2 years	\$25.91	\$25.13
Track light-COB-20W		Epistar COB	Φ80X210mm	A+	/	2000lm	AC85-265V	0.8	80	2700-6500K	120°	1.3kg	2 years	\$29.94	\$29.04
Track light-COB-30W		Epistar COB	Φ80X210mm	A+	/	2400lm	AC85-265V	0.8	80	2700-6500K	120°	1.3kg	2 years	\$37.69	\$36.56
Track light-COB-40W		Epistar COB	Φ80X210mm	A+	/	3200lm	AC85-265V	0.8	80	2700-6500K	120°	1.3kg	2 years	\$39.95	\$38.75





Track light-COB-15WB		Epistar COB	Φ90X130mm	A+	/	1200lm	AC85-265V	0.8	80	2700-6500K	120°	1.35kg	2 years	\$24.90	\$24.15
Track light-COB-30WB		Epistar COB	Φ80X130mm	A+	/	2400lm	AC85-265V	0.8	80	2700-6500K	120°	2.5kg	2 years	\$45.96	\$44.58
AR111-5X1W		Epistar 1W/5pcs	Φ111X56.5mm	A+	GU53	410lm	AC85-265V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$9.50	\$9.22
AR111-6X1W		Epistar 1W/6pcs	Φ111X56.5mm	A+	GU53	490lm	AC85-265V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$10.00	\$9.70
AR111-7X1W		Epistar 1W/7pcs	Φ111X56.5mm	A+	GU53	575lm	AC85-265V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$10.50	\$10.19
AR111-9X1W		Epistar 1W/9pcs	Φ111X56.5mm	A+	GU53	750lm	AC85-265V AC/DC12V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$12.75	\$12.37
AR111-12X1W		Epistar 1W/12pcs	Φ111X56.5mm	A+	GU53	980lm	AC85-265V AC/DC12V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$15.12	\$14.67
AR111-7X2W		Epistar 2W/7pcs	Φ111X56.5mm	A+	GU53	800lm	AC85-265V AC/DC12V	0.75	80	2700-6500K	150°	0.32kg	3 years	\$14.75	\$14.31
OSRAM AR111 15W		Osram 3W/7pcs	Φ111X61mm	A+	GU53	985lm	AC/DC 12V	0.8	85	2700-6500K	150°	0.21kg	3 years	\$19.68	\$18.70
OSRAM PAR30 15W		Osram 3W/7pcs	Φ95X115mm	A+	E27/E26/B22	1020lm	AC85-265V	0.8	85	2700-6500K	150°	0.23kg	3 years	\$20.80	\$19.76
OSRAM PAR38 18W		Osram 3W/9pcs	Φ120X132mm	A+	E27/E26/B23	1210lm	AC85-265V	0.8	85	2700-6500K	150°	0.33kg	3 years	\$24.80	\$23.56
PAR30-COB-5W		Epistar COB	Φ95X100mm	A	E27	320lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$8.35	\$7.93
PAR30-COB-7W		Epistar COB	Φ95X100mm	A	E27	550lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$9.59	\$9.11
PAR30-COB-9W		Epistar COB	Φ95X100mm	A	E27	720lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$10.42	\$9.90
PAR30-COB-12W		Epistar COB	Φ95X100mm	A	E27	1080lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$12.08	\$11.48
PAR38-COB-5W		Epistar COB	Φ121X140mm	A	E27	480lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$14.18	\$13.47
PAR38-COB-12W		Epistar COB	Φ121X140mm	A	E27	1080lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$16.50	\$15.68
PAR38-COB-15W		Epistar COB	Φ121X140mm	A	E27	1320lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$16.88	\$16.04
PAR38-COB-18W		Epistar COB	Φ121X140mm	A	E27	1560lm	AC85-265V	0.9	80	2700-6500K	120°	0.33kg	2 years	\$18.96	\$18.01
G24-16- 3W		Qili 5050/16pcs	Φ35X102mm	A	G24	200lm	AC85-265V	0.85	80	2700-6500K	150°	0.13kg	3 years	\$4.55	\$4.32
G24-25- 5W		Qili 5050/25pcs	Φ35X102mm	A	G24	300lm	AC85-265V	0.85	80	2700-6500K	150°	0.13kg	3 years	\$5.35	\$5.08
G24-30- 7W		Qili 5050/35pcs	Φ35X120mm	A	G24	460lm	AC85-265V	0.85	80	2700-6500K	150°	0.14kg	3 years	\$5.85	\$5.56
G24-40- 8W		Qili 5050/40pcs	Φ35X130mm	A	G24	550lm	AC85-265V	0.85	80	2700-6500K	150°	0.16kg	3 years	\$6.00	\$5.70
G24-44- 9W		Qili 5050/44pcs	Φ35X138mm	A	G24	600lm	AC85-265V	0.85	80	2700-6500K	150°	0.18kg	3 years	\$6.50	\$6.18
G24-50- 10W		Qili 5050/50pcs	Φ35X147mm	A	G24	680lm	AC85-265V	0.85	80	2700-6500K	150°	0.18kg	3 years	\$7.20	\$6.84
G24-52- 11W		Qili 5050/52pcs	Φ35X160mm	A	G24	700lm	AC85-265V	0.85	80	2700-6500K	150°	0.2kg	3 years	\$7.40	\$7.03
G24-60- 12W		Qili 5050/60pcs	Φ35X160mm	A	G24	820lm	AC85-265V	0.85	80	2700-6500K	150°	0.2kg	3 years	\$8.40	\$7.98
G24-25- 5W R		Qili 5050/25pcs	Φ40X94mm	A	G24	340lm	AC85-265V	0.85	80	2700-6500K	150°	0.13kg	3 years	\$6.25	\$5.94
G24-40- 8W R		Qili 5050/40pcs	Φ40X110mm	A	G24	550lm	AC85-265V	0.85	80	2700-6500K	150°	0.14kg	3 years	\$6.95	\$6.60
G24-44- 9W R		Qili 5050/50pcs	Φ40X119mm	A	G24	680lm	AC85-265V	0.85	80	2700-6500K	150°	0.16kg	3 years	\$7.50	\$7.13
G24-52-11W R		Qili 5050/52pcs	Φ40X151mm	A	G24	700lm	AC85-265V	0.85	80	2700-6500K	150°	0.18kg	3 years	\$7.95	\$7.55
G24-60-12W R		Qili 5050/60pcs	Φ40X151mm	A	G24	840lm	AC85-265V	0.85	80	2700-6500K	150°	0.20kg	3 years	\$8.95	\$8.50
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Available socket	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price	Price Dimmable
Candle 3.2W		Epistar 0.5w3030/5pcs	Φ38×112mm	A	E14/E27/B22	225lm	AC85-265V	0.5	80	2700-6500K	300°	0.06kg	2 years	US\$2.85	/
Candle 4.3W		Epistar 0.5w3030/7pcs	Φ38×112mm	A	E14/E27/B22	295lm	AC85-265V	0.5	80	2700-6500K	300°	0.06kg	2 years	US\$3.00	/
Candle 3W A		Epistar 3014/12pcs	Φ37X124mm	A++	E14/E27/B22	210lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.20	US\$7.10
Candle 3W B		Epistar 3014/12pcs	Φ45X100mm	A++	E14/E27/B23	210lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.20	US\$7.10
Candle 3W C		Epistar 3014/12pcs	Φ37X132mm	A++	E14/E27/B24	210lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.20	US\$7.10
Candle 4W A		Epistar 3014/18pcs	Φ37X123mm	A++	E14/E27/B25	335lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.95	US\$7.90

Candle 4W B		Epistar 3014/18pcs	Φ45X100mm	A++	E14/E27/B26	335lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.95	US\$7.80
Candle 4W C		Epistar 3014/18pcs	Φ37X132mm	A++	E14/E27/B27	335lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$6.95	US\$7.80
Candle 6W A		Epistar 3014/30pcs	Φ37X125mm	A++	E14/E27/B28	525lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$8.40	US\$8.95
Candle 6W B		Epistar 3014/30pcs	Φ45X102mm	A++	E14/E27/B29	525lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$8.28	US\$8.95
Candle 6W C		Epistar 3014/30pcs	Φ37X134mm	A++	E14/E27/B30	525lm	AC85-265V	0.9	82	2700-6500K	360°	0.07kg	3 years	US\$8.28	US\$8.95
Candle 9W		Epistar 3014/48pcs	Φ60X133mm	A++	E14/E27/B31	855lm	AC85-265V	0.9	82	2700-6500K	360°	0.1kg	3 years	US\$11.88	US\$12.75
Candle 12W		Epistar 3020/24pcs	Φ80X158mm	A++	E14/E27/B32	1045lm	AC85-265V	0.9	82	2700-6500K	360°	0.12kg	3 years	US\$15.60	/
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Driver IP/ Driver	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price (<50) USD	Price (>50) USD
Panel 300*300 10W		Epistar 4014/50pcs	300X300X11	A+	IP65	800lm	AC85-265V	0.95	85	2700-6500K	150°	0.8kg	3 years	\$17.32	\$16.28
Panel 300x600 20W		Epistar 4014/100pcs	300x600x11	A+	IP65	1450lm	AC85-265V	0.95	85	2700-6500K	150°	2kg	3 years	\$28.95	\$27.50
Panel 300x1200 40W		Epistar 4014/200pcs	300x1200x11	A+	IP65	3200lm	AC85-265V	0.95	85	2700-6500K	150°	3kg	3 years	\$47.92	\$45.52
Panel 600x600 48W		Epistar 4014/240pcs	600x600x11	A+	IP65	3550lm	AC85-265V	0.95	85	2700-6500K	150°	3.5kg	3 years	\$54.65	\$51.92
Panel 600x600 60W		Epistar 4014/336pcs	600x600x11	A+	IP65	4370lm	AC85-265V	0.95	85	2700-6500K	150°	3.5kg	3 years	\$65.98	\$62.68
Panel 600x1200 72W		Epistar 4014/400pcs	600x1200x11	A+	IP65	5320lm	AC85-265V	0.95	85	2700-6500K	150°	7kg	3 years	\$112.65	\$107.02

Item Name	Picture	LED type/Quantity	Power	IP rate	Flux	Weight	Input	Color Available	Note	Dimension	Warranty	Price/Meter		
5M-300--3528SMD		Epistar/ 60pcs 3528/M	4.8W/M	IP20	7lm/LED	0.3kg	DC12V	warm white, pure white, green, blue, red, yellow, RGB	All LEDs are high brightness. WF is short for waterproof. 5M per roll if no special requirements.	8x3x500mm	2 years	\$1.98		
5M-600-3528SMD		Epistar/ 120pcs 3528/M	9.2W/M	IP20	7lm/LED	0.45kg						\$2.65		
5M-300--3528SMD WF		Epistar/ 60pcs 3528/M	4.8W/M	IP65	7lm/LED	0.36kg						\$2.35		
5M-600-3528SMD WF		Epistar/ 120pcs 3528/M	9.2W/M	IP65	7lm/LED	0.55kg						\$2.95		
5M-1200--3528smd double side		Epistar/ 240pcs 3528/M	19.2W/M	IP20	7lm/LED	0.4kg				15x3x500mm		\$4.58		
5M-1200--3528smd double side WF		Epistar/ 240pcs 3528/M	19.2W/M	IP65	7lm/LED	0.65kg						\$6.86		
5M-150--5050SMD		Epistar/ 30pcs 5050/M	7.2W/M	IP20	18lm/LED	0.3kg				10x3x500mm		\$2.49		
5M-300-5050SMD		Epistar/ 60pcs 5050/M	14.4W/M	IP20	18lm/LED	0.45kg						\$2.95		
5M-150--5050SMD WF		Epistar/ 30pcs 5050/M	7.2W/M	IP65	18lm/LED	0.36kg			\$2.85					
5M-300-5050SMD WF		Epistar/ 60pcs 5050/M	14.4W/M	IP65	18lm/LED	0.55kg			\$3.55					
5M-600--5050smd double side		Epistar/ 100pcs 5050/M	28.8W/M	IP20	18lm/LED	0.45kg			19x3x500mm			\$7.25		
5M-600--5050smd double side WF		Epistar/ 100pcs 5050/M	28.8W/M	IP65	18lm/LED	0.63kg						\$8.98		
			15W	1.Voltage:DC12V 2.Current:1.25A; 3.no waterproof; 4.Composition:alluminum shell ;						70*38*30mm 0.15KG	2 years	\$3.50		
			18W	1.Voltage:DC12V 2.Current:1.5A; 3.no waterproof; 4.Composition:alluminum shell ;						70*38*30mm 0.15KG		\$4.10		
			24W	1.Voltage:DC12V 2.Current:2A; 3.no waterproof; 4.Composition:alluminum shell ;						85*58*37mm 0.2KG		\$4.70		
			36W	1.Voltage:DC12V 2.Current:3A; 3.no waterproof; 4.Composition:alluminum shell ;						110*78*37mm 0.3KG		\$6.60		
			60W	1.Voltage:DC12V 2.Current:5A; 3.no waterproof; 4.Composition:alluminum shell ;						110*78*37mm 0.3KG		\$7.20		
			72W	1.Voltage:DC12V 2.Current:6A; 3.no waterproof; 4.Composition:alluminum shell ;						160*98*42mm 0.42KG		\$8.00		
			120W	1.Voltage:DC12V 2.Current:10A; 3.no waterproof; 4.Composition:alluminum shell ;						160*98*42mm 0.42KG		\$9.60		
			150W	1.Voltage:DC12V 2.Current:12.5A; 3.no waterproof; 4.Composition:alluminum shell ;						198*98*42mm 0.6KG		\$10.60		
			200W	1.Voltage:DC12V 2.Current:16.7A; 3.no waterproof; 4.Composition:alluminum shell ;						198*98*42mm 0.6KG		\$11.50		
			360W	1.Voltage:DC12V 2.Current:30A; 3.no waterproof; 4.Composition:alluminum shell ;						215*115*50mm 0.95KG		\$19.80		
			400W	1.Voltage:DC12V 2.Current:33A; 3.no waterproof; 4.Composition:alluminum shell ;						215*115*50mm 0.95KG		\$21.50		
3KEY LED DIMMER		Mini RGB controller,2 wires with the power,DC5~24V , input Max output power:14.4W									2 years	\$1.50		
LED Touching dimmer		Input voltage:12VDC Output current: <8A Output power: 12V:<96W Work for 6.6M strip with 60 chip each meter,and 13 meters strip with 30 chip each meter									2 years	\$3.80		
One key led dimmer		Input voltage:12VDC Output current: <8A Work for 6.6M strip with 60 chip each meter,and 13 meters strip with 30 chip each meter									2 years	\$2.30		
6KEY led RGB controller(without remote controller)		Input voltage:12VDC Input current: <4A each line Output power: 12V:<144W Work for 10M strip with 60 chip each meter,and 20 meters strip with 30 chip each meter									2 years	\$4.50		
24KEY Infrared led rgb controller		Input voltage:12VDC Output current: <2A each line Output power: 12V<72W Common positive Work for 5M strip with 60 chip each meter,and 10 meters strip with 30 chip each meter									2 years	\$2.00		
44KEY Infrared led rgb controller		Input voltage:12VDC input current: <2A each line Common positive Work for 5M strip with 60 chip each meter,and 10 meters strip with 30 chip each meter								Output power : 12V<72W	2 years	\$3.50		
RF-LED RGB controller		1 Working voltage: DC12V 2 Output control: 3 circuits(R/G/B) 3 Control current: 6A/circuit 4 Connecting method: common anode 5 Dimension: L66*W64*H24 6 Receiving range:20meters									2 years	\$15.50		
LED Touching RGB controller		1,Gradual Change Mode,-under powered condition ,press No.2button,RGB controller will be changed into gradual change mode .Touch A/B button ,you can control the speed of gradual change ,A to speed, B to slowdown .Changing them into normal mode need close the RGB controller and restart it; 2,Hopping mode ,Under gradual change mode condition ,touch No.2button, the RGB controller will be changed to hopping mode ,Touch A/B button can control the speed of it ,to speed ,B to slowdown .Changing them to normal mode need restart the RGB controller . Pay attention:The change of the above two presentation mode need 4 seconds.II.Basic parameter 1,Frequency 433MHZ2.Support DC12/24Vinput , max power 216W									2 years	\$16.50		
RF-6KEY RGB Controller		Input voltage:12VDC Single line power: < 1W Controlling way: Single Work for strip with 2048pcs chips									2 years	\$15.70		
RF-24KEY-RGB controller(Aluminium)		Voltage: 12V~24V Function model: 12type Input current: <4A each line Power : 12V<144W Common positive Work for 10M strip with 60 chip each meter,and20 meters strip with 30 chip each meter									2 years	\$6.80		
RF-44KEY-RGB controller(Aluminium)		Input:3 line Receiving frequency: 433Mhz Output current <4A each line Output power: 12V<144W common positive Work for 10M strip with 60 chip each meter,and20 meters strip with 30 chip each meter									2 years	\$6.90		
RF 6-Key LED RGB controller(Aluminium)		Input voltage:12VDC Receiving frequency: 433Mhz Input current: <4A each line Output current: 12V:<144W, 24V:<288W Work for 10M strip with 60 chip each meter,and20 meters strip with 30 chip each meter									2 years	\$7.50		
RF1680 LED RGB controller		Input voltage: DC12V Power: 2.2W Output: Two line SPI signal 1、 It can connect RGB strip with 500 PCS IC 2、 Output 2 line strip 3、 94 type different way									2 years	\$14.60		
RF-RGB 8 Key Controller		Receiving frequency: 433Mhz Current: <4A each line Power: 12V<144W/ Common positive Work for 10M strip with 60 chip each meter,and20 meters strip with 30 chip each meter									2 years	\$6.80		
Ultrathin RF 6 key RGB LED Controller (220V)		Voltage:AC/110V-240V /50/60Hz; Function model: 21 Output: 3 line/Common positive Current: <2A each line Output power: 12V<72W Reliable,saftey,Over-heat,over-voltage protect,Far distant to control,RF wireless ,Slim ,only 18MM,easy to install									2 years	\$16.80		

3 KEY led single color controller		Input voltage:12VDC Output: 1line Output current: <8A Output power: 12V<96W Work for 6.6M strip with 60 chip each meter,and 13 meters strip with 30 chip each meter												2 years	\$3.90
LED RGB Amplifier(Black Aluminium)		Input voltage:12VDC Power: 1W Output: 5 line SPI signal ,work for 30 meter for sigle color change or 15 meter double change color												2 years	\$8.90
LED RGB Amplifier		Input voltage:12VDC Common positive Output current: <2A each line Output power: /12V:<72W Common positive Work for 5M strip with 60 chip each meter,and 10 meters strip with 30 chip each meter												2 years	\$2.10
LED RGB Amplifier(Aluminium)		Input voltage:12VDC Input current: <4A each line, commom positive Output power: /12V:<144W/ Work for10M strip with 60 chip each meter,and 20 meters strip with 30 chip each meter												2 years	\$3.60
Switch wire		Euro plug	180mm wire length MOQ:100PCS										2 years	\$1.10	
		USA plug											2 years	\$1.10	
MR16 Socket		/	Rating: 250V , lead wire: Max 180°C, material: bakelite MOQ:100PCS										2 years	\$0.20	
GU10 Socket		/	Rating: 250V , lead wire: Max 180°C, material: bakelite MOQ:100PCS										2 years	\$0.30	
G9 Socket		/	Rating: 250V , lead wire: Max 180°C, material: bakelite MOQ:100PCS										2 years	\$0.30	
G4 socket		/	Rating: 250V , lead wire: Max 180°C, material: bakelite MOQ:100PCS										2 years	\$0.20	
E27 testing socket		/	Rating: 250V , lead wire: Max 180°C, material: bakelite MOQ:100PCS										2 years	\$0.47	
110/220V-12V/1A table power transformer		1A Euro plug	The power transformer is mainly to connect led strip,the strip can not longer than 2 meters.										2 years	\$2.30	
		1A USA plug											2 years	\$2.30	
110/220V-DC12V table power transformer		36W 3A Euro plug	The power transformer is mainly to connect led strip,3A work for 5meter strips,6A work for 10 meter strips, 8A work for 15 meter strips and 10A workfor 20 meter strips.										2 years	\$4.40	
		36W 3A USA plug											2 years	\$4.40	
		72W 6A Euro plug											2 years	\$6.80	
		72W 6A USA plug											2 years	\$6.80	
110/220V-DC12V table power transformer		100W 8A Euro plug	The power transformer is mainly to connect led strip,3A work for 5meter strips,6A work for 10 meter strips, 8A work for 15 meter strips and 10A work for 20 meter strips.										2 years	\$11.60	
		100W 8A USA plug											2 years	\$11.60	
		120W 10A Euro plug											2 years	\$12.60	
		120W 10A Euro plug											2 years	\$12.60	
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price (<50) USD	Price (>50) USD
Flood-10W		Epistar COB	115x86x105mm	IP65	/	900lm	AC85-265V	0.93	80	2700-6500K	120°	0.5kg	3 years	\$10.60	\$10.28
Flood-20W		Epistar COB	180x145x130mm	IP65	/	1800lm	AC85-265V	0.93	80	2700-6500K	120°	1.1kg	3 years	\$16.85	\$16.34
Flood-30W		Epistar COB	225*185*155mm	IP65	/	2720lm	AC85-265V	0.93	80	2700-6500K	120°	1.67kg	3 years	\$25.65	\$24.88
Flood-50W		Epistar COB	290*240*175 mm	IP65	/	4350lm	AC85-265V	0.93	80	2700-6500K	120°	2.69kg	3 years	\$36.85	\$36.00
Flood-60W		Epistar COB	290*240*175 mm	IP65	/	5250lm	AC85-265V	0.93	80	2700-6500K	120°	2.69kg	3 years	\$43.50	\$42.00
Flood-80W		Epistar COB	360*290*114mm	IP65	/	7260lm	AC85-265V	0.93	80	2700-6500K	120°	6kg	3 years	\$67.00	\$64.00
Flood-100W		Epistar COB	440*330*120mm	IP65	/	8810lm	AC85-265V	0.93	80	2700-6500K	120°	7.5kg	3 years	\$80.00	\$78.20

Flood-100W B		Epistar COB	250*309*192mm	IP65	/	8600lm	AC85-265V	0.95	80	2700-6500K	120°	6.5kg	3 years	\$129.00	\$122.55
Flood-120W		Bridgeflux COB Meanwell driver	194*253*95mm	IP65	/	10320lm	AC85-265V	0.95	80	2700-6500K	120°	6.5kg	5 years	\$219.00	\$208.05
Flood-150W		Bridgeflux COB Meanwell driver	205*291*116mm	IP65	/	12900lm	AC85-265V	0.95	80	2700-6500K	120°	6.5kg	5 years	\$249.00	\$236.55
Flood-200W		Bridgeflux COB Meanwell driver	250*309*192mm	IP65	/	17200	AC85-265V	0.95	80	2700-6500K	120°	6.5kg	5 years	\$298.00	\$283.10
Item name	Picture	Led type / Qty	Dimension (mm)	Rate	Base	Flux	Input Volt.	PF	CRI	CCT	Beam angle	Gross weight(kg)	Warranty	Price (<5) USD	Price (>5) USD
HB-RCM-22W		LG 5630/60pcs	L: 223mm W:123mm	A++	/	1600lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	2.6kg	5 years	\$55.00	\$50.60
HB-RCC-22W		LG 5630/60pcs	L: 223mm W:123mm	A++	/	1708lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	2.6kg	5 years	\$54.60	\$50.23
HB-RCCOB-25W		Citizen COB	L: 223mm W:123mm	A++	/	2310lm	AC85-265V	0.96	82	3000K/4000K/5000K	120°	2.8kg	5 years	\$58.92	\$54.21
HB-RCM-35W		LG 5630/98pcs	L: 223mm W:123mm	A++	/	2672lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	2.8kg	5 years	\$56.90	\$52.35
HB-RCC-35W		LG 5630/98pcs	L: 223mm W:123mm	A++	/	2872lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	2.8kg	5 years	\$57.80	\$53.18
HB-RCM-40W		LG 5630/105pcs	L: 235mm W:130mm	A++	/	3150lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	3.1kg	5 years	\$62.00	\$57.04
HB-RCC-53W		LG 5630/150pcs	L: 223mm W:123mm	A++	/	4616lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	3.3kg	5 years	\$81.00	\$74.52
HB-RCM-53W		LG 5630/150pcs	L: 223mm W:123mm	A++	/	4496lm	AC85-265V	0.96	82	3000K/4000K/5000K/6000K	120°	3.3kg	5 years	\$81.80	\$75.26
Item name	Picture	Support Base				Dimension (mm)		Function				Gross weight(kg)	Price (<5) USD	Price (>5) USD	
HB-1280-13P		T8 120cm LED lamp 1PCS T8 90cm LED lamp 1PCS T8 60cm LED lamp 1PCS T8 120CM the traditional tube 1PCS T8 90CM the traditional tube 1PCS T8 60CM the traditional tube 1PCS E27 3PCS, GU10 3PCS, E14 3PCS GU5.3 2PCS, B22 3PCS, G24 2PCS DC 12V power meter 1PCS AC dimmer 1PCS 6 AC multi-function digital meter 2PCS				1300x360x200mm		Power, voltage, power factor, frequency, current, annual electricity consumption				16kg	\$468.00	\$444.60	
HB-1280-7P		T8 120cm LED lamp 1PCS T8 60cm LED lamp 2PCS T8 120CM the traditional tube 1PCS T8 60CM the traditional tube 1PCS E27 3PCS, GU10 3PCS, E14 3PCS GU5.3 2PCS, B22 3PCS, G24 2PCS DC 12V power meter 1PCS AC dimmer 1PCS 6 AC multi-function digital meter 2PCS				1300x360x200mm		Power, voltage, power factor, frequency, current, annual electricity consumption				16kg	\$388.00	\$368.60	

HB-680-13P		T8 60cm LED lamp 2PCS T8 60CM the traditional tube 1PCS E27 3PCS, GU10 2PCS, E14 2PCS GU5.3 2PCS, G24 1PCS AC dimmer 1PCS DC 12V power meter 1PCS 6 AC multi-function digital meter 2PCS	700x350x200mm	Power, voltage, power factor, frequency, current, annual electricity consumption	10kg	\$358.00	\$340.10
HB-680-13PB		T8 60cm LED lamp 2PCS T8 60CM the traditional tube 1PCS E27 4PCS, GU10 2PCS, E14 2PCS GU5.3 2PCS, G24 1PCS AC dimmer 1PCS DC 12V power meter 1PCS 6 AC multi-function digital meter 2PCS	700x350x200mm	Power, voltage, power factor, frequency, current, annual electricity consumption	10kg	\$348.00	\$330.60
HB-380-7P		GU5.3 2PCS, GU10 2PCS, E14 2PCS E27 2PCS, G24 1PCS AC dimmer 1PCS DC 12V power meter 1PCS 6 AC multi-function digital meter 1PCS	400x240x160mm	Power, voltage, power factor, frequency, current, annual electricity consumption	4kg	\$228.00	\$216.60
HB-280-7P		GU5.3 1PCS GU10 1PCS E14 1PCS E27 1PCS DC dimmer 1PC AC dimmer 1PC DC 12V power meter 1PCS 6 AC multi-function digital meter 1PCS	280x230x180mm	Power, voltage, power factor, frequency, current, annual electricity consumption	3kg	\$178.00	\$169.10

Notes: 1. Above price is EXW Harbor factory and valid for 2 month.

2. All the lamps with neutral box package. If OEM package, extra 300USD charged, and shall be returned for single items value reach 3000USD.

3. OME service is available for large quantities or stable orders.

4. Payment: Paypal, T/T, western union are acceptable

5. Delivery time is within 3 business days for sample order, within 5-7 business days for regular orders.

6. Defective products within warranty, shipping cost shall be paid by client side.